

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-1	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47715
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/10	<0.002	<0.004	<0.0005	<0.0005	10C47715A-1

: 定量下限値超過, 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-5-2	表層	9/14	<0.002	<0.004	<0.0005	<0.0005	10E47762
	0.50m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/14	<0.002	<0.004	<0.0005	0.0041	"
	2.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/14	<0.002	<0.004	<0.0005	0.0069	10C47715A-1

定量下限値超過,
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-6-2	表層	9/15	<0.002	<0.004	0.0008	<0.0005	10E47799
	0.50m	9/15	<0.002	<0.004	0.0011	<0.0005	"
	1.00m	9/15	<0.002	<0.004	0.0015	0.0010	"
	2.00m	9/15	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/15	<0.002	0.004	0.0006	<0.0005	"
	9.00m	9/15	<0.002	0.15	0.11	0.0039	"
	10.00m	9/15	<0.002	0.15	20	0.0052	"
	11.00m	10/4	<0.002	0.15	5.5	0.036	10E48186-1
	12.00m	10/4	<0.002	0.009	0.19	<0.0005	"
	13.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/4	<0.002	<0.004	0.0014	<0.0005	"
	17.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/5	<0.002	<0.004	0.0010	<0.0005	"
	19.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/6	<0.002	<0.004	<0.0005	0.0019	10E48186-2
	25.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	10/6	<0.002	0.014	0.0005	<0.0005	"
地下水 (10.00m)	9/15		0.025	13	3300	4.7	10C47715A-1
地下水	10/6		0.008	0.55	15	0.14	"

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-7	表層	9/18	<0.002	<0.004	<0.0005	<0.0005	10E47870
	0.50m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/18	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	9/18	<0.002	<0.004	<0.0005	0.0022	"
	3.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	10E49788-1
	12.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	10E49788-2
	25.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/20	<0.002	0.006	<0.0005	<0.0005	"
	27.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/18	<0.002	<0.004	<0.0005	0.0025	10C47715A-1	
地下水	11/20	<0.002	<0.004	<0.0005	0.0044	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-8-1	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47392
	0.50m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.014	"
	3.00m	9/2	<0.002	<0.004	0.0011	0.10	"
	4.00m	9/2	<0.002	<0.004	<0.0005	0.38	"
	5.00m	9/2	<0.002	<0.004	<0.0005	0.20	"
	6.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	0.037	10C47715A-1

 : 定量下限値超過,
 : 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-9-3	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47550
	0.50m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	3.00m	9/2	<0.002	<0.004	<0.0005	0.0028	"
	4.00m	9/2	<0.002	<0.004	<0.0005	0.0036	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	0.0015	"
	9.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49207-1
	12.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49207-2
	25.00m	11/3	<0.002	0.032	0.0010	0.0020	"
	26.00m	11/3	<0.002	0.022	<0.0005	<0.0005	"
	27.00m	11/3	<0.002	0.004	<0.0005	<0.0005	"
28.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/3	<0.002	0.018	0.014	0.40	10C47715A-1	
地下水	11/3	<0.002	0.072	0.0014	0.034	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-10-8	表層	9/14	<0.002	<0.004	<0.0005	<0.0005	10E47763
	0.50m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/14	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	9/14	<0.002	<0.004	<0.0005	0.0038	"
	3.00m	9/14	<0.002	<0.004	<0.0005	0.012	"
	4.00m	9/14	<0.002	<0.004	<0.0005	0.0007	"
	5.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/14	<0.002	<0.004	<0.0005	0.0011	"
	8.00m	9/14	<0.002	<0.004	<0.0005	0.013	"
	9.00m	9/14	<0.002	<0.004	<0.0005	0.0006	"
	10.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49294-1
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	0.0012	"
	19.00m	11/2	<0.002	<0.004	<0.0005	0.0015	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	0.0008	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49294-2
	25.00m	11/3	<0.002	0.017	<0.0005	0.0007	"
	26.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/14	<0.002	<0.004	<0.0005	0.086	10C47715A-1	
地下水	11/4	<0.002	0.36	0.0009	0.020	10C47715A-2	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-11	表層	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49295-1
	0.50m	11/2	<0.002	<0.004	<0.0005	0.0011	"
	1.00m	11/2	<0.002	<0.004	<0.0005	0.0012	"
	2.00m	11/2	<0.002	<0.004	<0.0005	0.0065	"
	3.00m	11/2	<0.002	<0.004	<0.0005	0.016	"
	4.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/2	<0.002	0.004	0.0041	0.014	"
	8.00m	11/2	<0.002	0.014	0.0053	0.0053	"
	9.00m	11/2	<0.002	0.006	<0.0005	<0.0005	"
	10.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49295-2
	13.00m	11/2	<0.002	<0.004	<0.0005	0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
25.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	10E49295-3	
26.00m	11/4	<0.002	0.004	<0.0005	<0.0005	"	
27.00m	11/4	<0.002	0.005	<0.0005	<0.0005	"	
28.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"	
地下水	11/4	<0.002	0.019	0.0049	0.025	10C47715A-2	

 : 定量下限値超過,
 : 基準不適合
 : 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-12	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47747
	0.50m	9/13	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	9/13	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	9/13	<0.002	<0.004	<0.0005	0.0021	"
	3.00m	9/13	<0.002	<0.004	<0.0005	0.0044	"
	4.00m	9/13	<0.002	<0.004	<0.0005	0.013	"
	5.00m	9/13	<0.002	<0.004	<0.0005	0.0015	"
	6.00m	9/13	<0.002	<0.004	<0.0005	0.0005	"
	7.00m	9/13	<0.002	<0.004	<0.0005	0.0021	"
	8.00m	9/13	<0.002	<0.004	<0.0005	0.0020	"
	9.00m	9/13	<0.002	0.005	<0.0005	0.0007	"
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49296-1
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49296-2
	25.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/3	<0.002	0.019	0.0014	0.036	"
	27.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/13	<0.002	0.020	0.0063	0.048	10C47715A-2	
地下水	11/4	<0.002	0.007	<0.0005	0.0072	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-13-6	表層	11/22	<0.002	<0.004	<0.0005	0.0009	10E49851-1
	0.50m	11/22	<0.002	<0.004	<0.0005	0.0007	"
	1.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	11/22	<0.002	<0.004	<0.0005	0.0012	"
	4.00m	11/22	<0.002	<0.004	<0.0005	0.0014	"
	5.00m	11/22	<0.002	<0.004	<0.0005	0.0056	"
	6.00m	11/22	<0.002	<0.004	<0.0005	0.0006	"
	7.00m	11/22	<0.002	<0.004	<0.0005	0.0011	"
	8.00m	11/22	<0.002	<0.004	<0.0005	0.0008	"
	9.00m	11/22	<0.002	<0.004	<0.0005	0.0006	"
	10.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	10E49851-2
	13.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/24	<0.002	0.046	0.0011	0.0062	10E49851-3
26.00m	11/24	<0.002	0.004	<0.0005	<0.0005	"	
27.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"	
30.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	11/23	<0.002	<0.004	<0.0005	0.0047	10C47715A-2	
地下水	11/24	<0.002	0.13	0.0006	0.0053	"	

定量下限値超過,
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-14	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47748
	0.50m	9/13	<0.002	<0.004	<0.0005	0.0007	"
	1.00m	9/13	<0.002	<0.004	<0.0005	0.0023	"
	2.00m	9/13	<0.002	<0.004	<0.0005	0.0005	"
	3.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/13	<0.002	<0.004	<0.0005	0.0015	"
	5.00m	9/13	<0.002	<0.004	<0.0005	0.0032	"
	6.00m	9/13	<0.002	<0.004	<0.0005	0.0020	"
	7.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/13	<0.002	<0.004	<0.0005	0.0010	10C47715A-2

: 定量下限値超過,
 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-15-3	表層	11/25	<0.002	<0.004	<0.0005	<0.0005	10E49980-1
	0.50m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/25	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	11/25	<0.002	<0.004	<0.0005	0.0008	"
	4.00m	11/25	<0.002	<0.004	<0.0005	0.0017	"
	5.00m	11/25	<0.002	<0.004	<0.0005	0.0012	"
	6.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	10E49980-2
	13.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/27	<0.002	0.045	0.0041	0.013	10E49980-3
	26.00m	11/27	<0.002	0.032	0.0011	0.0007	"
27.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	11/25	<0.002	<0.004	<0.0005	<0.0005	10C47715A-2	
地下水	11/27	<0.002	0.008	0.0006	0.0081	"	

 : 定量下限値超過,
 : 基準不適合
 : 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-16-2	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47716
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	0.0012	0.0057	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	0.0008	"
	6.00m	9/10	<0.002	<0.004	<0.0005	0.0013	"
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/10	<0.002	<0.004	<0.0005	0.0008	10C47715A-2

 : 定量下限値超過, 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-17-3	表層	10/13	<0.002	<0.004	<0.0005	0.0010	10E48851
	0.50m	10/13	<0.002	<0.004	<0.0005	0.0022	"
	1.00m	10/13	<0.002	<0.004	<0.0005	0.0007	"
	2.00m	10/13	<0.002	<0.004	<0.0005	0.0013	"
	3.00m	10/13	<0.002	<0.004	<0.0005	0.0027	"
	4.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/13	<0.002	<0.004	<0.0005	0.0014	"
	6.00m	10/13	<0.002	<0.004	0.0047	0.026	"
	7.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/13	<0.002	<0.004	<0.0005	0.0007	"
	9.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	10E49449-1
	12.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	10E49449-2
	25.00m	11/10	<0.002	0.034	<0.0005	<0.0005	"
	26.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	10/13	<0.002	0.005	0.010	0.057	10C47715A-2	
地下水	11/10	<0.002	0.008	0.0010	0.0071	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-18-3	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47717
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	0.0018	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	0.009	0.0009	0.0026	"
	7.00m	9/10	<0.002	0.031	<0.0005	0.0007	"
	8.00m	9/10	<0.002	0.040	0.0014	0.014	"
	9.00m	9/10	<0.002	0.008	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	10E47877-1
	12.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/21	<0.002	<0.004	0.0008	<0.0005	"
	18.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	9/22	<0.002	<0.004	0.0009	0.0014	10E47877-2
	25.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/10	<0.002	2.3	0.072	0.13	10C47715A-3	
地下水	9/23	<0.002	0.38	0.012	0.029	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-19-1	表層	9/24	<0.002	<0.004	<0.0005	0.0006	10E47842
	0.50m	9/24	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/24	<0.002	<0.004	<0.0005	0.0013	"
	5.00m	9/24	<0.002	0.006	0.0031	0.018	"
	6.00m	9/24	<0.002	0.022	0.0044	0.019	"
	7.00m	9/24	<0.002	0.012	0.0016	0.010	"
	8.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	10E49395-1
	12.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/6	<0.002	<0.004	<0.0005	0.0005	"
	23.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/6	<0.002	<0.004	<0.0005	0.0005	10E49395-2
	25.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/24	<0.002	0.49	0.025	0.033	10C47715A-3	
地下水	11/6	<0.002	0.026	0.0029	0.017	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-20-4	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47718
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	10E49148-1
	12.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49148-2
	25.00m	11/1	<0.002	<0.004	0.0009	<0.0005	"
	26.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/10	<0.002	0.005	0.0013	0.010	10C47715A-3	
地下水	11/1	<0.002	0.015	0.0073	0.018	"	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-22	表層	11/15	<0.002	<0.004	<0.0005	<0.0005	10E49842-1
	0.50m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/15	<0.002	<0.004	<0.0005	0.0023	"
	6.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	10E49842-2
	13.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/17	<0.002	<0.004	0.0009	0.0009	10E49842-3
26.00m	11/17	<0.002	<0.004	0.010	<0.0005	"	
27.00m	11/17	<0.002	<0.004	0.0017	<0.0005	"	
28.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"	
地下水	11/17	<0.002	0.044	0.040	0.15	10C47715A-3	

： 定量下限値超過,
基準値以下

： 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-18-10	表層	9/6	<0.002	<0.004	<0.0005	<0.0005	10E47579
	0.50m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/6	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	9/6	<0.002	<0.004	<0.0005	0.0010	"
	3.00m	9/6	<0.002	<0.004	<0.0005	0.0063	"
	4.00m	9/6	<0.002	0.10	0.057	0.26	"
	5.00m	9/6	<0.002	0.73	0.017	0.067	"
	6.00m	9/6	<0.002	0.20	0.0071	0.034	"
	7.00m	9/6	<0.002	0.024	0.0009	0.0056	"
	8.00m	9/6	<0.002	0.019	0.0024	0.0064	"
	9.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	10E47867-1
	11.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	10E47867-2
	24.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	9/18	<0.002	0.010	<0.0005	<0.0005	"
	27.00m	9/18	<0.002	0.004	<0.0005	<0.0005	"
	28.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (09.00m)	9/6	<0.002	1.0	0.035	0.093	10C47576A-3	
地下水	9/18	<0.002	0.27	0.0097	0.028	"	

 : 定量下限値超過, 基準値以下
 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-17	表層	9/6	<0.002	<0.004	<0.0005	<0.0005	10E47578
	0.50m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/6	<0.002	<0.004	<0.0005	0.0024	"
	5.00m	9/6	<0.002	<0.004	<0.0005	0.014	"
	6.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	10E49451-1
	11.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	10E49451-2
	24.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/10	<0.002	0.037	<0.0005	<0.0005	"
	26.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (09.00m)	9/6	<0.002	<0.004	<0.0005	<0.0005	10C47578A-2	
地下水	11/10	<0.002	0.016	0.0005	0.0049	"	

 : 定量下限値超過
 : 基準不適合
 : 基準値以下

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-16	表層	9/8	<0.002	<0.004	<0.0005	<0.0005	10E47632
	0.50m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/8	<0.002	<0.004	<0.0005	0.0010	"
	4.00m	9/8	<0.002	<0.004	<0.0005	0.0018	"
	5.00m	9/8	<0.002	<0.004	<0.0005	0.0062	"
	6.00m	9/8	<0.002	<0.004	<0.0005	0.0041	"
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	10E49852-1
	12.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	10E49852-2
	25.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/8	<0.002	<0.004	<0.0005	<0.0005	10C47576A-2	
地下水	11/24	<0.002	0.20	0.0073	0.0044	"	

 : 定量下限値超過
 : 基準値以下
 : 基準不適合

B-15-5

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番 号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-15-5	表層	10/6	<0.002	<0.004	<0.0005	<0.0005	10E48419
	0.50m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/6	<0.002	<0.004	<0.0005	0.0014	"
	3.00m	10/6	<0.002	<0.004	<0.0005	0.0046	"
	4.00m	10/6	<0.002	<0.004	<0.0005	0.0046	"
	5.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/6	<0.002	0.026	0.27	0.21	"
	9.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/6	<0.002	<0.004	0.0057	0.0023	10C47576A-2

: 定量下限値超過,
基準値以下

 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-13-6	表層	10/5	<0.002	<0.004	<0.0005	<0.0005	10E48199
	0.50m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/5	<0.002	0.005	0.0016	0.0085	10C47576A-2

 : 定量下限値超過, 基準値以下
 : 基準不適合

B-12-1
単位: (mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番 号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-12-1	表層	10/8	<0.002	<0.004	<0.0005	0.0012	10E48535
	0.50m	10/8	<0.002	<0.004	<0.0005	0.0024	"
	1.00m	10/8	<0.002	<0.004	<0.0005	0.0027	"
	2.00m	10/8	<0.002	<0.004	<0.0005	0.015	"
	3.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/8	<0.002	<0.004	<0.0005	0.0008	"
	7.00m	10/8	<0.002	<0.004	<0.0005	0.0006	"
	8.00m	10/8	<0.002	<0.004	<0.0005	0.0005	"
	9.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/8	<0.002	<0.004	<0.0005	0.0036	10C47576A-2

 : 定量下限値超過、基準値以下
 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-11-2	表層	9/8	<0.002	<0.004	<0.0005	<0.0005	10E47631-1
	0.50m	9/8	<0.002	<0.004	0.0005	<0.0005	"
	1.00m	9/8	<0.002	<0.004	0.0007	0.0022	"
	2.00m	9/8	<0.002	<0.004	0.0006	0.0061	"
	3.00m	9/8	<0.002	<0.004	0.0009	0.024	"
	4.00m	9/8	<0.002	<0.004	<0.0005	0.0011	"
	5.00m	9/8	<0.002	<0.004	<0.0005	0.0006	"
	6.00m	9/8	<0.002	<0.004	0.0006	0.0036	"
	7.00m	9/8	<0.002	<0.004	0.0015	0.011	"
	8.00m	9/8	<0.002	<0.004	0.0013	0.015	"
	9.00m	9/8	<0.002	<0.004	<0.0005	0.0077	"
	10.00m	9/8	<0.002	<0.004	<0.0005	0.0043	"
	11.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	10E47631-2
	13.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/14	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	10/15	<0.002	<0.004	<0.0005	<0.0005	10E47631-3
	26.00m	10/15	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	10/15	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	10/15	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/8	<0.002	0.075	0.046	0.96	10C47576A-2	
地下水	10/15	<0.002	<0.004	0.0010	0.018	"	

 : 定量下限値超過, 基準値以下
 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-10-4	表層	10/12	<0.002	<0.004	<0.0005	<0.0005	10E48583
	0.50m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/12	<0.002	<0.004	<0.0005	0.0012	"
	6.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/12	<0.002	<0.004	<0.0005	0.0007	"
	8.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/12	<0.002	<0.004	<0.0005	0.0007	10C47576A-2

: 定量下限値超過
 : 基準値以下

: 基準不適合

B-9-5
單位: (mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-9-5	表層	10/12	<0.002	<0.004	<0.0005	0.042	10E48582
	0.50m	10/12	<0.002	<0.004	0.0007	0.021	"
	1.00m	10/12	<0.002	<0.004	<0.0005	0.0065	"
	2.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/12	<0.002	<0.004	0.0022	0.059	"
	4.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/12	<0.002	<0.004	<0.0005	0.0025	"
	6.00m	10/12	<0.002	<0.004	<0.0005	0.0027	"
	7.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/12	<0.002	<0.004	<0.0005	0.0041	"
	9.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/12	<0.002	<0.004	<0.0005	0.0011	"
	地下水	10/12	<0.002	<0.004	<0.0005	<0.0005	10C47576A-2

□ : 定量下限値超過
基準値以下

■ : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-8-3	表層	9/24	<0.002	<0.004	<0.0005	<0.0005	10E47945
	0.50m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	1.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	2.00m	9/24	<0.002	<0.004	<0.0005	0.0012	＃
	3.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	4.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	5.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	6.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	7.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	8.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	9.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	10.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	＃
	地下水	9/24	<0.002	<0.004	<0.0005	0.0037	10C47576A-1

 : 定量下限値超過
 : 基準値以下

 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-7-4	表層	9/24	<0.002	<0.004	<0.0005	<0.0005	10E47944
	0.50m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/24	<0.002	<0.004	<0.0005	0.0026	"
	2.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/24	<0.002	<0.004	<0.0005	0.0053	10C47576A-1



: 定量下限値超過,
基準値以下



: 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-6-1	表層	9/24	<0.002	<0.004	<0.0005	0.0009	10E47943
	0.50m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/24	<0.002	<0.004	<0.0005	0.0020	"
	2.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	10E49030-1
	11.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	10E49030-2
	24.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (09.00m)	9/24	<0.002	<0.004	<0.0005	0.0042	10C47576A-1	
地下水	10/27	<0.002	0.010	<0.0005	0.0008	"	

定量下限値超過
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-6	表層	9/15	<0.002	<0.004	<0.0005	0.0027	10E47800
	0.50m	9/15	<0.002	<0.004	<0.0005	0.0034	"
	1.00m	9/15	<0.002	<0.004	<0.0005	0.0008	"
	2.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/15	<0.002	<0.004	0.10	0.0060	10C47576A-1

：定量下限値超過、基準値以下

：基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-5-3	表層	9/7	<0.002	<0.004	<0.0005	<0.0005	10E47618
	0.50m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/7	<0.002	<0.004	<0.0005	0.0061	"
	3.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	10E49643-1
	12.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/17	<0.002	0.004	<0.0005	<0.0005	"
	24.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	10E49643-2
	25.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/17	<0.002	<0.004	0.0006	0.0027	"
	27.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/7	<0.002	<0.004	<0.0005	0.0087	10C47576A-1	
地下水	11/17	<0.002	0.10	0.0005	0.0020	"	

 : 定量下限値超過, 基準値以下
 : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-4-4	表層	9/6	<0.002	<0.004	<0.0005	0.0088	10E47577
	0.50m	9/6	<0.002	<0.004	<0.0005	0.0023	"
	1.00m	9/6	<0.002	<0.004	<0.0005	0.0022	"
	2.00m	9/6	<0.002	<0.004	<0.0005	0.0005	"
	3.00m	9/6	<0.002	<0.004	<0.0005	0.0013	"
	4.00m	9/6	<0.002	<0.004	<0.0005	0.0017	"
	5.00m	9/6	<0.002	<0.004	<0.0005	0.0008	"
	6.00m	9/6	<0.002	<0.004	<0.0005	0.0014	"
	7.00m	9/6	<0.002	<0.004	<0.0005	0.0007	"
	8.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	10E49563-1
	12.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/12	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/13	<0.002	<0.004	0.0005	0.031	10E49563-2
	25.00m	11/13	<0.002	<0.004	0.0026	0.0065	"
	26.00m	11/13	<0.002	<0.004	<0.0005	<0.0005	"
27.00m	11/13	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/13	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/6	<0.002	<0.004	<0.0005	0.024	10C47576A-1	
地下水	11/13	<0.002	0.008	0.0043	0.029	"	

 : 定量下限値超過、基準値以下
 : 基準不適合

B-3-2

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番 号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-3-2	表層	11/11	<0.002	<0.004	<0.0005	0.022	10E49562
	0.50m	11/11	<0.002	<0.004	<0.0005	0.043	"
	1.00m	11/11	<0.002	0.012	0.0036	0.11	"
	2.00m	11/11	<0.002	<0.004	<0.0005	0.0011	"
	3.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	11/11	<0.002	<0.004	<0.0005	0.0005	"
	5.00m	11/11	<0.002	<0.004	<0.0005	0.0009	"
	6.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/11	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	11/11	<0.002	<0.004	<0.0005	0.030	10C47576A-1

定量下限値超過
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-2-2	表層	9/6	<0.002	<0.004	<0.0005	0.0017	10E47576
	0.50m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/6	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	10E49450-1
	12.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	10E49450-2
	25.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/6	<0.002	<0.004	<0.0005	0.0012	10C47576A-1	
地下水	11/10	<0.002	0.004	0.0007	0.0052	"	

定量下限値超過、基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-22	表層	11/15	<0.002	<0.004	<0.0005	<0.0005	10E49642-1
	0.50m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/15	<0.002	<0.004	<0.0005	0.0023	"
	6.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	10E49642-2
	13.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/15	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/16	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"
25.00m	11/17	<0.002	<0.004	0.0009	0.0009	10E49642-3	
26.00m	11/17	<0.002	<0.004	0.010	<0.0005	"	
27.00m	11/17	<0.002	<0.004	0.0017	<0.0005	"	
28.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/17	<0.002	<0.004	<0.0005	<0.0005	"	
地下水	11/17	<0.002	0.044	0.040	0.15	10C47715A-3	

定量下限値超過
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0,02mg/l)	シス-1,2-ジクロロエチレン (0,04mg/l)	トリクロロエチレン (0,03mg/l)	テトラクロロエチレン (0,01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-20-4	表層	9/10	<0,002	<0,004	<0,0005	<0,0005	10E4771B
	0.50m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	1.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	2.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	3.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	4.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	5.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	6.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	7.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	8.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	9.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	10.00m	9/10	<0,002	<0,004	<0,0005	<0,0005	"
	11.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	10E49148-1
	12.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	13.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	14.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	15.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	16.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	17.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	18.00m	10/28	<0,002	<0,004	<0,0005	<0,0005	"
	19.00m	10/29	<0,002	<0,004	<0,0005	<0,0005	"
	20.00m	10/29	<0,002	<0,004	<0,0005	<0,0005	"
	21.00m	10/29	<0,002	<0,004	<0,0005	<0,0005	"
	22.00m	10/29	<0,002	<0,004	<0,0005	<0,0005	"
	23.00m	10/29	<0,002	<0,004	<0,0005	<0,0005	"
	24.00m	11/1	<0,002	<0,004	<0,0005	<0,0005	10E49148-2
	25.00m	11/1	<0,002	<0,004	0.0009	<0,0005	"
	26.00m	11/1	<0,002	<0,004	<0,0005	<0,0005	"
27.00m	11/1	<0,002	<0,004	<0,0005	<0,0005	"	
28.00m	11/1	<0,002	<0,004	<0,0005	<0,0005	"	
地下水 (10.00m)	9/10	<0,002	0.005	0.0013	0.010	10C47715A-3	
地下水	11/1	<0,002	0.015	0.0073	0.018	"	

定量下限値超過,
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-19-1	表層	9/24	<0.002	<0.004	<0.0005	0.0006	10E47942
	0.50m	9/24	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/24	<0.002	<0.004	<0.0005	0.0013	"
	5.00m	9/24	<0.002	0.006	0.0031	0.018	"
	6.00m	9/24	<0.002	0.022	0.0044	0.019	"
	7.00m	9/24	<0.002	0.012	0.0016	0.010	"
	8.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	10E49395-1
	12.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/6	<0.002	<0.004	<0.0005	0.0005	"
	23.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/6	<0.002	<0.004	<0.0005	0.0005	10E49395-2
	25.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/24	<0.002	0.49	0.025	0.033	10C47715A-3	
地下水	11/6	<0.002	0.026	0.0029	0.017	"	

 : 定量下限値超過,
 : 基準値以下

 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-18-3	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47717
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	0.0018	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	0.009	0.0009	0.0026	"
	7.00m	9/10	<0.002	0.031	<0.0005	0.0007	"
	8.00m	9/10	<0.002	0.040	0.0014	0.014	"
	9.00m	9/10	<0.002	0.008	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	10E47877-1
	12.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/21	<0.002	<0.004	0.0008	<0.0005	"
	18.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	9/22	<0.002	<0.004	0.0009	0.0014	10E47877-2
	25.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/10	<0.002	2.3	0.072	0.13	10C47715A-3	
地下水	9/23	<0.002	0.38	0.012	0.029	"	

定量下限値超過
基準値以下

基準不適合


単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-17-3	表層	10/13	<0.002	<0.004	<0.0005	0.0010	10E48651
	0.50m	10/13	<0.002	<0.004	<0.0005	0.0022	"
	1.00m	10/13	<0.002	<0.004	<0.0005	0.0007	"
	2.00m	10/13	<0.002	<0.004	<0.0005	0.0013	"
	3.00m	10/13	<0.002	<0.004	<0.0005	0.0027	"
	4.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/13	<0.002	<0.004	<0.0005	0.0014	"
	6.00m	10/13	<0.002	<0.004	0.0047	0.026	"
	7.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/13	<0.002	<0.004	<0.0005	0.0007	"
	9.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/13	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	10E49449-1
	12.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/9	<0.002	<0.004	<0.0005	<0.0005	10E49449-2
	25.00m	11/10	<0.002	0.034	<0.0005	<0.0005	"
	26.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	10/13	<0.002	0.005	0.010	0.057	10C47715A-2	
地下水	11/10	<0.002	0.008	0.0010	0.0071	"	

 : 定量下限値超過,
 : 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-16-2	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47716
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	3.00m	9/10	<0.002	<0.004	0.0012	0.0057	＃
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	5.00m	9/10	<0.002	<0.004	<0.0005	0.0008	＃
	6.00m	9/10	<0.002	<0.004	<0.0005	0.0013	＃
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	＃
	地下水	9/10	<0.002	<0.004	<0.0005	0.0008	10C47715A-2


 : 定量下限値超過,
基準値以下


 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-15-3	表層	11/25	<0.002	<0.004	<0.0005	<0.0005	10E49980-1
	0.50m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/25	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	11/25	<0.002	<0.004	<0.0005	0.0008	"
	4.00m	11/25	<0.002	<0.004	<0.0005	0.0017	"
	5.00m	11/25	<0.002	<0.004	<0.0005	0.0012	"
	6.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	10E49980-2
	13.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/27	<0.002	0.045	0.0041	0.013	10E49980-3
	26.00m	11/27	<0.002	0.032	0.0011	0.0007	"
27.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	11/25	<0.002	<0.004	<0.0005	<0.0005	10C47715A-2	
地下水	11/27	<0.002	0.008	0.0006	0.0081	"	

 : 定量下限値超過,
 : 基準不適合
 : 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-14	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47748
	0.50m	9/13	<0.002	<0.004	<0.0005	0.0007	＃
	1.00m	9/13	<0.002	<0.004	<0.0005	0.0023	＃
	2.00m	9/13	<0.002	<0.004	<0.0005	0.0005	＃
	3.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	＃
	4.00m	9/13	<0.002	<0.004	<0.0005	0.0015	＃
	5.00m	9/13	<0.002	<0.004	<0.0005	0.0032	＃
	6.00m	9/13	<0.002	<0.004	<0.0005	0.0020	＃
	7.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	＃
	8.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	＃
	9.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	＃
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	＃
	地下水	9/13	<0.002	<0.004	<0.0005	0.0010	10C47715A-2

: 定量下限値超過,
 : 基準不適合
 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-13-6	表層	11/22	<0.002	<0.004	<0.0005	0.0009	10E49851-1
	0.50m	11/22	<0.002	<0.004	<0.0005	0.0007	#
	1.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	#
	2.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	#
	3.00m	11/22	<0.002	<0.004	<0.0005	0.0012	#
	4.00m	11/22	<0.002	<0.004	<0.0005	0.0014	#
	5.00m	11/22	<0.002	<0.004	<0.0005	0.0056	#
	6.00m	11/22	<0.002	<0.004	<0.0005	0.0006	#
	7.00m	11/22	<0.002	<0.004	<0.0005	0.0011	#
	8.00m	11/22	<0.002	<0.004	<0.0005	0.0008	#
	9.00m	11/22	<0.002	<0.004	<0.0005	0.0006	#
	10.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	#
	11.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	#
	12.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	10E49851-2
	13.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	#
	14.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	15.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	16.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	17.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	18.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	19.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	20.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	21.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	22.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	#
	23.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#
	24.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#
	25.00m	11/24	<0.002	0.046	0.0011	0.0062	10E49851-3
	26.00m	11/24	<0.002	0.004	<0.0005	<0.0005	#
	27.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#
	28.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#
29.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#	
30.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	#	
地下水 (10.00m)	11/23	<0.002	<0.004	<0.0005	0.0047	10C47715A-2	
地下水	11/24	<0.002	0.13	0.0006	0.0053	#	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-12	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47747
	0.50m	9/13	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	9/13	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	9/13	<0.002	<0.004	<0.0005	0.0021	"
	3.00m	9/13	<0.002	<0.004	<0.0005	0.0044	"
	4.00m	9/13	<0.002	<0.004	<0.0005	0.013	"
	5.00m	9/13	<0.002	<0.004	<0.0005	0.0015	"
	6.00m	9/13	<0.002	<0.004	<0.0005	0.0005	"
	7.00m	9/13	<0.002	<0.004	<0.0005	0.0021	"
	8.00m	9/13	<0.002	<0.004	<0.0005	0.0020	"
	9.00m	9/13	<0.002	0.005	<0.0005	0.0007	"
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49296-1
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49296-2
	25.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/3	<0.002	0.019	0.0014	0.036	"
27.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/13	<0.002	0.020	0.0063	0.048	10C47715A-2	
地下水	11/4	<0.002	0.007	<0.0005	0.0072	"	

定量下限値超過,
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-11	表層	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49295-1
	0.50m	11/2	<0.002	<0.004	<0.0005	0.0011	"
	1.00m	11/2	<0.002	<0.004	<0.0005	0.0012	"
	2.00m	11/2	<0.002	<0.004	<0.0005	0.0065	"
	3.00m	11/2	<0.002	<0.004	<0.0005	0.016	"
	4.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/2	<0.002	0.004	0.0041	0.014	"
	8.00m	11/2	<0.002	0.014	0.0053	0.0053	"
	9.00m	11/2	<0.002	0.006	<0.0005	<0.0005	"
	10.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49295-2
	13.00m	11/2	<0.002	<0.004	<0.0005	0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	10E49295-3
	26.00m	11/4	<0.002	0.004	<0.0005	<0.0005	"
27.00m	11/4	<0.002	0.005	<0.0005	<0.0005	"	
28.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"	
地下水	11/4	<0.002	0.019	0.0049	0.025	10C47715A-2	

定量下限値超過, 基準値以下 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-10-8	表層	9/14	<0.002	<0.004	<0.0005	<0.0005	10E47763
	0.50m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/14	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	9/14	<0.002	<0.004	<0.0005	0.0038	"
	3.00m	9/14	<0.002	<0.004	<0.0005	0.012	"
	4.00m	9/14	<0.002	<0.004	<0.0005	0.0007	"
	5.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/14	<0.002	<0.004	<0.0005	0.0011	"
	8.00m	9/14	<0.002	<0.004	<0.0005	0.013	"
	9.00m	9/14	<0.002	<0.004	<0.0005	0.0006	"
	10.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	10E49294-1
	12.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	0.0012	"
	19.00m	11/2	<0.002	<0.004	<0.0005	0.0015	"
	20.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	0.0008	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49294-2
	25.00m	11/3	<0.002	0.017	<0.0005	0.0007	"
	26.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/14	<0.002	<0.004	<0.0005	0.086	10C47715A-1	
地下水	11/4	<0.002	0.36	0.0009	0.020	10C47715A-2	

: 定量下限値超過,
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-9-3	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47550
	0.50m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	3.00m	9/2	<0.002	<0.004	<0.0005	0.0028	"
	4.00m	9/2	<0.002	<0.004	<0.0005	0.0036	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	0.0015	"
	9.00m	9/2	<0.002	<0.004	<0.0005	0.0009	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49207-1
	12.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	10E49207-2
	25.00m	11/3	<0.002	0.032	0.0010	0.0020	"
	26.00m	11/3	<0.002	0.022	<0.0005	<0.0005	"
27.00m	11/3	<0.002	0.004	<0.0005	<0.0005	"	
28.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
29.00m	11/3	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/3	<0.002	0.018	0.014	0.40	10C47715A-1	
地下水	11/3	<0.002	0.072	0.0014	0.034	"	

 定量下限値超過、
基準値以下

 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-7	表層	9/18	<0.002	<0.004	<0.0005	<0.0005	10E47870
	0.50m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/18	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	9/18	<0.002	<0.004	<0.0005	0.0022	"
	3.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	10E49788-1
	12.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	10E49788-2
	25.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/20	<0.002	0.006	<0.0005	<0.0005	"
27.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"	
28.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/18	<0.002	<0.004	<0.0005	0.0025	10C47715A-1	
地下水	11/20	<0.002	<0.004	<0.0005	0.0044	"	

定量下限値超過, 基準値以下 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
A-6-2	表層	9/15	<0.002	<0.004	0.0008	<0.0005	10E47799
	0.50m	9/15	<0.002	<0.004	0.0011	<0.0005	"
	1.00m	9/15	<0.002	<0.004	0.0015	0.0010	"
	2.00m	9/15	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/15	<0.002	0.004	0.0006	<0.0005	"
	9.00m	9/15	<0.002	0.15	0.11	0.0039	"
	10.00m	9/15	<0.002	0.15	20	0.0052	"
	11.00m	10/4	<0.002	0.15	5.5	0.036	10E48186-1
	12.00m	10/4	<0.002	0.009	0.19	<0.0005	"
	13.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/4	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/4	<0.002	<0.004	0.0014	<0.0005	"
	17.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/5	<0.002	<0.004	0.0010	<0.0005	"
	19.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/5	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/6	<0.002	<0.004	<0.0005	0.0019	10E48186-2
	25.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	10/6	<0.002	0.014	0.0005	<0.0005	"
地下水 (10.00m)	9/15		0.025	13	3300	4.7	10C47715A-1
地下水	10/6		0.008	0.55	15	0.14	"

 : 定量下限値超過,
 : 基準不適合
 : 基準値以下

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-19	表層	9/8	<0.002	<0.004	<0.0005	0.0009	10E47633
	0.50m	9/8	<0.002	<0.004	<0.0005	0.0008	"
	1.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/8	<0.002	<0.004	<0.0005	0.0009	"
	3.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/8	<0.002	<0.004	<0.0005	0.0009	"
	5.00m	9/8	<0.002	<0.004	<0.0005	0.0052	"
	6.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	10E49396-1
	12.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/6	<0.002	<0.004	0.0010	<0.0005	10E49396-2
	25.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	28.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/8	<0.002	<0.004	<0.0005	<0.0005	10C47576A-3	
地下水	11/6	<0.002	0.038	0.016	0.013	"	

 : 定量下限値超過
 : 基準不適合
 : 基準値以下

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-21-6	表層	9/6	<0.002	<0.004	<0.0005	<0.0005	10E47580
	0.50m	9/6	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	9/6	<0.002	<0.004	<0.0005	0.0013	"
	2.00m	9/6	<0.002	<0.004	<0.0005	0.0029	"
	3.00m	9/6	<0.002	<0.004	<0.0005	0.0023	"
	4.00m	9/6	<0.002	<0.004	<0.0005	0.0042	"
	5.00m	9/6	<0.002	<0.004	<0.0005	0.0006	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	10E49853-1
	13.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	10E49853-2
	26.00m	11/23	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/24	<0.002	<0.004	0.0034	<0.0005	"
	28.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
29.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (11.00m)	9/7	<0.002	<0.004	0.0009	0.016	10C47576A-3	
地下水	11/24	<0.002	<0.004	<0.0005	<0.0005	"	

定量下限値超過,
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
B-22-2	表層	9/14	<0.002	<0.004	<0.0005	<0.0005	10E47801
	0.50m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/15	<0.002	<0.004	<0.0005	0.0005	"
	3.00m	9/15	<0.002	<0.004	<0.0005	0.0013	"
	4.00m	9/15	<0.002	<0.004	<0.0005	0.0007	"
	5.00m	9/15	<0.002	<0.004	<0.0005	0.0009	"
	6.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/15	<0.002	0.004	0.0037	0.016	10C47576A-3

定量下限値超過、基準値以下 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス=1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-2	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47719
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/10	<0.002	<0.004	<0.0005	0.0017	10C47719A-1

定量下限値超過、基準値以下
 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-3	表層	9/6	<0.002	<0.004	<0.0005	0.0045	10E47581
	0.50m	9/6	<0.002	<0.004	<0.0005	0.0016	"
	1.00m	9/6	<0.002	<0.004	<0.0005	0.0021	"
	2.00m	9/6	<0.002	<0.004	<0.0005	0.0020	"
	3.00m	9/6	<0.002	<0.004	<0.0005	0.0009	"
	4.00m	9/6	<0.002	<0.004	<0.0005	0.0013	"
	5.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/6	<0.002	<0.004	<0.0005	0.013	10C47719A-1

定量下限値超過
基準値以下

基準不適合

試料名	深度	採取日	単位:(mg/l)				備考 (計量証明書番号)
			1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	
定量下限値			0.002	0.004	0.0005	0.0005	
C-4-3	表層	9/2	<0.002	<0.004	<0.0005	0.0030	10E47393
	0.50m	9/2	<0.002	<0.004	0.0037	0.10	"
	1.00m	9/2	<0.002	<0.004	<0.0005	0.0057	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.012	"
	3.00m	9/2	<0.002	<0.004	<0.0005	0.0090	"
	4.00m	9/2	<0.002	<0.004	<0.0005	0.0077	"
	5.00m	9/2	<0.002	<0.004	<0.0005	0.0008	"
	6.00m	9/2	<0.002	<0.004	<0.0005	0.0053	"
	7.00m	9/2	<0.002	<0.004	<0.0005	0.0019	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	10E47902-1
	11.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	10E47902-2
	24.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (09.00m)	9/2	<0.002	<0.004	<0.0005	0.030	10C47719A-1	
地下水	9/25	<0.002	<0.004	<0.0005	<0.0005	"	

定量下限値超過,
基準値以下

基準不適合

試料名		深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値				0.002	0.004	0.0005	0.0005	
C-5-3	表層	9/7	<0.002	<0.004	<0.0005	0.0006	10E47616	
	0.50m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	1.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	2.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	3.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	4.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"	
	地下水	9/7	<0.002	<0.004	<0.0005	0.0089	10C47719A-1	

定量下限値超過,
 基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-6-2	表層	9/24	<0.002	<0.004	<0.0005	0.0008	10E47947
	0.50m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/24	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/25	<0.002	<0.004	<0.0005	0.0044	10C47719A-1

: 定量下限値超過、基準値以下

 : 基準不適合

							單位:(mg/l)
試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-7-1	表層	9/23	<0.002	<0.004	<0.0005	0.0022	10E47903
	0.50m	9/23	<0.002	<0.004	<0.0005	0.0021	"
	1.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/23	<0.002	<0.004	<0.0005	0.018	10C47719A-1

--	--

: 定量下限値超過, 基準値以下 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-9-1	表層	10/12	<0.002	<0.004	<0.0005	<0.0005	10E48584
	0.50m	10/12	<0.002	<0.004	<0.0005	0.0015	"
	1.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/12	<0.002	<0.004	<0.0005	0.0021	"
	3.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/12	<0.002	<0.004	<0.0005	0.0006	"
	6.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/12	<0.002	<0.004	<0.0005	0.0052	"
	10.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/12	<0.002	0.006	<0.0005	0.0033	10C47719A-1

 : 定量下限値超過,
基準値以下

 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-10	表層	10/12	<0.002	<0.004	<0.0005	0.0015	10E485B5
	0.50m	10/12	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	10/12	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/12	<0.002	<0.004	<0.0005	0.0054	"
	5.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/12	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/12	<0.002	<0.004	<0.0005	0.018	"
	10.00m	10/12	<0.002	<0.004	<0.0005	0.0007	"
	11.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	10E49789-1
	12.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/18	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/19	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	10E49789-2
	25.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"
27.00m	11/20	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	10/12	<0.002	<0.004	0.0007	0.079	10C47719A-1	
地下水	11/20	<0.002	<0.004	<0.0005	0.0027	"	

 定量下限値超過,
基準値以下

 基準値不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-12-1	表層	10/9	<0.002	<0.004	<0.0005	0.0018	10E48541
	0.50m	10/9	<0.002	<0.004	<0.0005	0.0025	"
	1.00m	10/9	<0.002	<0.004	<0.0005	0.0043	"
	2.00m	10/9	<0.002	<0.004	<0.0005	0.0007	"
	3.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/9	<0.002	<0.004	<0.0005	0.022	10C47719A-2

□ : 定量下限値超過
基準値以下

■ : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-16	表層	8月24日	<0.002	<0.004	<0.0005	<0.0005	10E46646
	0.50m	8月24日	<0.002	<0.004	<0.0005	0.0005	"
	1.00m	8月24日	<0.002	<0.004	<0.0005	0.0009	"
	2.00m	8月24日	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8月24日	<0.002	<0.004	<0.0005	0.0020	"
	4.00m	8月24日	<0.002	<0.004	<0.0005	0.0044	"
	5.00m	8月24日	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8月24日	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8月24日	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8月24日	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8月25日	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8月25日	<0.002	<0.004	<0.0005	<0.0005	10C47719A-2

: 定量下限値超過
 : 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-17-3	表層	9/7	<0.002	<0.004	<0.0005	<0.0005	10E47622
	0.50m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/7	<0.002	<0.004	<0.0005	0.0008	"
	2.00m	9/7	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	9/7	<0.002	<0.004	<0.0005	0.0005	"
	4.00m	9/7	<0.002	<0.004	<0.0005	0.0014	"
	5.00m	9/7	<0.002	<0.004	<0.0005	0.0009	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/7	<0.002	<0.004	<0.0005	<0.0005	10C47719A-2

: 定量下限値超過. 基準値以下
 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-18	表層	8/25	<0.002	<0.004	<0.0005	<0.0005	10E46648
	0.50m	8/25	<0.002	<0.004	<0.0005	0.0009	"
	1.00m	8/25	<0.002	<0.004	0.0013	0.0051	"
	2.00m	8/25	<0.002	<0.004	<0.0005	0.0028	"
	3.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/25	<0.002	<0.004	<0.0005	0.0019	"
	5.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	10E49397-1
	12.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	10E49397-2
	25.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (10.00m)	8/25	<0.002	<0.004	<0.0005	0.0007	10C47719A-2
地下水	11/8	<0.002	0.008	0.0010	0.0052	"	

 定量下限値超過
 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-20	表層	9/6	<0.002	<0.004	<0.0005	<0.0005	10E47583
	0.50m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/6	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/6	<0.002	<0.004	<0.0005	0.014	10C47719A-2

: 定量下限値超過
 : 基準不適合

基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-21-1	表層	9/7	<0.002	<0.004	<0.0005	0.0006	10E47819
	0.50m	9/7	<0.002	<0.004	<0.0005	0.0036	"
	1.00m	9/7	<0.002	<0.004	0.0007	0.034	"
	2.00m	9/7	<0.002	<0.004	0.0008	0.039	"
	3.00m	9/7	<0.002	<0.004	0.0007	0.026	"
	4.00m	9/7	<0.002	<0.004	<0.0005	0.0068	"
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/7	<0.002	<0.004	0.0005	0.012	10C47719A-2

定量下限値超過
基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
C-22	表層	9/9	<0.002	<0.004	<0.0005	<0.0005	10E47884
	0.50m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/9	<0.002	<0.004	0.0014	0.013	"
	6.00m	9/9	<0.002	<0.004	0.0005	0.013	"
	7.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/9	<0.002	<0.004	<0.0005	0.013	10C47719A-2

: 定量下限値超過,
 基準値以下
 : 基準不適合

