

D-3

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-3	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47749
	0.50m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/13	<0.002	<0.004	0.0074	0.0036	10C47749A-1

定量下限値超過基準値以下          基準不適合

D-4-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-4-4	表層	9/4	<0.002	<0.004	<0.0005	<0.0005	10E47562
	0.50m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/4	<0.002	<0.004	<0.0005	0.0047	10C47749A-1

: 定量下限値超過,  
 : 基準値以下

: 基準不適合

D-5-3

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-5-3	表層	9/4	<0.002	<0.004	<0.0005	<0.0005	10E47563
	0.50m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/4	<0.002	<0.004	<0.0005	0.0021	10C47749A-1

  : 定量下限値超過  
  : 基準不適合  
 基準値以下

D-6

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-6	表層	9/23	<0.002	<0.004	<0.0005	<0.0005	10E47904
	0.50m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/23	<0.002	<0.004	<0.0005	0.0033	10C47749A-1

定量下限値超過  
基準値以下

基準不適合

D-7-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
			定量下限値		0.002	0.004	
D-7-4	表層	9/23	<0.002	<0.004	<0.0005	0.0030	10E47905
	0.50m	9/23	<0.002	<0.004	<0.0005	0.0020	"
	1.00m	9/23	<0.002	<0.004	<0.0005	0.0078	"
	2.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/23	<0.002	<0.004	<0.0005	0.015	10C47749A-1

: 定量下限値超過,  
 基準値以下
  : 基準不適合

D-8-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-8-4	表層	9/23	<0.002	<0.004	<0.0005	0.014	10E4790G
	0.50m	9/23	<0.002	<0.004	<0.0005	0.037	"
	1.00m	9/23	<0.002	<0.004	<0.0005	0.0050	"
	2.00m	9/23	<0.002	<0.004	<0.0005	0.0016	"
	3.00m	9/23	<0.002	<0.004	<0.0005	0.0006	"
	4.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	10E50065-1
	12.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	10E50065-2
	25.00m	11/29	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/23	<0.002	<0.004	<0.0005	0.036	10C47749A-1	
地下水	11/30	<0.002	<0.004	0.0008	0.010	"	

定量下限値超過,  
基準値以下

基準不適合

D-9-2

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-9-2	表層	10/9	<0.002	<0.004	<0.0005	0.0010	10E48542
	0.50m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	1.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	2.00m	10/9	<0.002	<0.004	<0.0005	0.0010	〃
	3.00m	10/9	<0.002	<0.004	<0.0005	0.0005	〃
	4.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	5.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	6.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	7.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	8.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	9.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	10.0m	10/9	<0.002	<0.004	<0.0005	<0.0005	〃
	地下水	10/9	<0.002	<0.004	<0.0005	0.0022	10C47749A-1

□ : 定量下限値超過, 基準値以下      □ : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-10-1	表層	10/8	<0.002	<0.004	<0.0005	0.0008	10E48537
	0.50m	10/8	<0.002	<0.004	<0.0005	0.0005	"
	1.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.0m	10/9	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/9	<0.002	<0.004	<0.0005	0.0037	10C47749A-1

定量下限値超過  
基準値以下

基準不適合



D-11-1

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-11-1	表層	10/8	<0.002	<0.004	<0.0005	0.0018	10E48538
	0.50m	10/8	<0.002	<0.004	<0.0005	0.0016	"
	1.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/8	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	10E49907-1
	12.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	10E49907-2
	25.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (10.00m)	10/8	<0.002	0.006	0.0076	0.088	10C47749A-1
地下水	11/26	<0.002	0.015	<0.0005	0.0025	"	

定量下限値超過, 基準値以下      基準不適合



D-13-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-13-4	表層	10/7	<0.002	<0.004	<0.0005	<0.0005	10E48500
	0.50m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	10/7	<0.002	0.004	<0.0005	<0.0005	"
	4.00m	10/7	<0.002	0.004	0.0006	<0.0005	"
	5.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/7	<0.002	<0.004	0.0006	0.0087	10C47749A-1

□ : 定量下限値超過, 基準値以下

□ : 基準不適合

# D-14-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)	
定量下限値			0.002	0.004	0.0005	0.0005		
D-14-4	表層	10/6	<0.002	<0.004	<0.0005	<0.0005	10E48421	
	0.50m	10/6	<0.002	<0.004	<0.0005	<0.0005	''	
	1.00m	10/6	<0.002	<0.004	<0.0005	<0.0005	''	
	2.00m	10/7	<0.002	0.010	0.0014	0.0005	''	
	3.00m	10/7	<0.002	0.007	<0.0005	<0.0005	''	
	4.00m	10/7	<0.002	0.004	0.0011	0.0005	''	
	5.00m	10/7	<0.002	<0.004	0.0013	0.0031	''	
	6.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	''	
	7.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	''	
	8.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	''	
	9.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	''	
	10.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	''	
	地下水	10/7	<0.002	<0.004	0.0012	0.013	10C47749A-2	

  : 定量下限値超過, 基準値以下
   : 基準不適合

D-15-2

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-15-2	表層	10/7	<0.002	<0.004	0.0038	0.0012	10E48502
	0.50m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	10/7	<0.002	<0.004	<0.0005	0.0019	"
	2.00m	10/7	<0.002	<0.004	<0.0005	0.0039	"
	3.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.0m	10/7	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	10/7	<0.002	<0.004	<0.0005	0.015	10C47749A-2

: 定量下限値超過,  
 : 基準不適合  
 基準値以下

## D-16

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-16	表層	9/8	<0.002	<0.004	<0.0005	<0.0005	10E47634
	0.50m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/8	<0.002	<0.004	<0.0005	0.0005	"
	4.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.50m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/8	<0.002	<0.004	<0.0005	0.0068	10C47749A-2

定量下限値超過  
基準値以下

基準不適合

D-17-1

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)	
定量下限値			0.002	0.004	0.0005	0.0005		
D-17-1	表層	9/9	<0.002	<0.004	<0.0005	0.0020	10E47685	
	0.50m	9/9	<0.002	<0.004	0.0052	0.015	"	
	1.00m	9/9	<0.002	<0.004	0.0007	0.019	"	
	2.00m	9/9	<0.002	<0.004	0.0005	0.015	"	
	3.00m	9/9	<0.002	<0.004	<0.0005	0.0085	"	
	4.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	5.00m	9/9	<0.002	<0.004	<0.0005	0.0008	"	
	6.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	7.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	8.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"	
	地下水	9/9	<0.002	<0.004	<0.0005	0.0070	10C47749A-2	

	: 定量下限値超過, 基準値以下		: 基準不適合
--	---------------------	--	---------

# D-18

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)	
定量下限値			0.002	0.004	0.0005	0.0005		
D-18	表層	9/8	<0.002	<0.004	<0.0005	0.0008	10E47635	
	0.50m	9/8	<0.002	<0.004	<0.0005	0.0010	"	
	1.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	2.00m	9/8	<0.002	<0.004	<0.0005	0.0058	"	
	3.00m	9/8	<0.002	<0.004	<0.0005	0.0007	"	
	4.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	5.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	6.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"	
	地下水	9/8	<0.002	<0.004	<0.0005	<0.0005	10C47749A-2	

: 定量下限値超過	: 基準不適合
: 基準値以下	





## D-20

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-20	表層	8/27	<0.002	<0.004	<0.0005	0.0011	10E46766
	0.50m	8/27	<0.002	<0.004	0.0010	0.0031	"
	1.00m	8/27	<0.002	<0.004	0.0008	0.0027	"
	2.00m	8/27	<0.002	<0.004	0.0010	0.0040	"
	3.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	10E49031-1
	12.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	10E49031-2
	25.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	27.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (10.00m)	8/27	<0.002	<0.004	0.0006	0.014	10C47749A-2
地下水	10/27	<0.002	0.024	0.0049	0.11	"	

定量下限値超過,  
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
D-21	表層	8/26	<0.002	<0.004	<0.0005	<0.0005	10E46710
	0.50m	8/26	<0.002	<0.004	0.0008	0.0005	"
	1.00m	8/26	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	8/26	<0.002	<0.004	<0.0005	0.0008	"
	3.00m	8/26	<0.002	<0.004	<0.0005	0.0014	"
	4.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/26	<0.002	<0.004	<0.0005	0.012	10C47749A-2

: 定量下限値超過,  
基準値以下

: 基準不適合



単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-4	表層	9/13	<0.002	<0.004	<0.0005	<0.0005	10E47750
	0.50m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/13	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/13	<0.002	<0.004	0.0005	0.0008	10C47750A-1

: 定量定量下限値超過  
: 基準値以下  
: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-5-2	表層	9/4	<0.002	<0.004	<0.0005	<0.0005	10E47564
	0.50m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/4	<0.002	<0.004	<0.0005	0.0038	10C47750A-1

: 定量定量下限値超過
: 基準不適合  
: 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-6	表層	9/22	<0.002	<0.004	<0.0005	<0.0005	10E47899
	0.50m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/22	<0.002	<0.004	<0.0005	0.0038	10C47750A-1

定量定量下限値超過 基準値以下 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-7-4	表層	9/22	<0.002	<0.004	<0.0005	<0.0005	10E47900
	0.50m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/22	<0.002	<0.004	0.0010	<0.0005	"
	8.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/22	<0.002	<0.004	<0.0005	0.049	10C47750A-1

：定量定量下限値超過  
：基準値以下  
：基準不適合



単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-8-3	表層	9/23	<0.002	<0.004	<0.0005	<0.0005	10E47907
	0.50m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/23	<0.002	<0.004	<0.0005	0.0008	"
	2.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/23	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/23	<0.002	<0.004	<0.0005	0.016	10C47750A-1

: 定量定量下限値超  
過,  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-9-1	表層	9/3	<0.002	<0.004	<0.0005	<0.0005	10E47551
	0.50m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/3	<0.002	<0.004	<0.0005	0.0035	10C47750A-1

定量定量下限値超過  
 基準値以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-10-3	表層	9/3	<0.002	<0.004	<0.0005	<0.0005	10E47552
	0.50m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/3	<0.002	<0.004	<0.0005	0.0010	10C47750A-1

: 定量定量下限値超過  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-11-3	表層	9/3	<0.002	<0.004	<0.0005	<0.0005	10E47553
	0.50m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/3	<0.002	<0.004	<0.0005	0.0013	10C47750A-1

□: 定量定量下限値超過  
□: 基準値以下  
□: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-12-2	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47554
	0.50m	9/2	<0.002	<0.004	0.0008	0.0012	"
	1.00m	9/2	<0.002	<0.004	<0.0005	0.0014	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.0017	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	0.0055	10C47750A-1

☐: 定量下限値超過  
☐: 基準値以下  
☐: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン* (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-13-2	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47394
	0.50m	9/2	<0.002	<0.004	<0.0005	0.0007	"
	1.00m	9/2	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.0006	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	0.015	10C47750A-1

: 定量定量下限値超過
: 基準不適合  
 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-14-2	表層	8/24	<0.002	<0.004	<0.0005	0.0005	10E46571
	0.50m	8/24	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	8/24	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	8/24	<0.002	<0.004	<0.0005	0.0016	"
	3.00m	8/24	<0.002	<0.004	<0.0005	0.0017	"
	4.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.50m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/24	<0.002	<0.004	<0.0005	0.0063	10C47750A-1

: 定量定量下限値超  
過  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-15-1	表層	8/24	<0.002	<0.004	<0.0005	<0.0005	10E46572
	0.50m	8/24	<0.002	<0.004	<0.0005	0.0011	"
	1.00m	8/24	<0.002	<0.004	<0.0005	0.0007	"
	2.00m	8/24	<0.002	<0.004	<0.0005	0.0011	"
	3.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.50m	採取日 不明	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/24	<0.002	<0.004	<0.0005	0.0042	10C47750A-1

定量定量下限値超過 基準値以下 基準不適合



単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-16	表層	9/8	<0.002	<0.004	<0.0005	<0.0005	10E47637
	0.50m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/8	<0.002	<0.004	<0.0005	0.0005	"
	3.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/8	<0.002	<0.004	<0.0005	0.0053	10C47750A-1

 : 定量定量下限値超  
過  
基準値以下

 : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-17	表層	9/9	<0.002	<0.004	<0.0005	0.0098	10E47686
	0.50m	9/9	<0.002	<0.004	<0.0005	0.012	"
	1.00m	9/9	<0.002	<0.004	<0.0005	0.010	"
	2.00m	9/9	<0.002	<0.004	<0.0005	0.016	"
	3.00m	9/9	<0.002	<0.004	<0.0005	0.0007	"
	4.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/9	<0.002	<0.004	<0.0005	0.0006	"
	6.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	10E49307-1
	12.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	10E49307-2
	25.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/9	<0.002	<0.004	<0.0005	0.0042	10C47750A-2	
地下水	11/6	<0.002	0.011	0.0013	0.0084	"	

: 定量定量下限値超  
過  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-18-1	表層	9/9	<0.002	<0.004	<0.0005	<0.0005	10E47687
	0.50m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	10E49149-1
	12.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/1	<0.002	0.006	0.0023	0.0034	"
	24.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49149-2
25.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/9	<0.002	<0.004	0.0013	0.011	10C47750A-2	
地下水	11/1	<0.002	0.004	0.0012	0.012	"	

  : 定量定量下限値超過  
  : 基準値以下  
  : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-19-6	表層	9/8	<0.002	<0.004	0.0022	0.0043	10E47638
	0.50m	9/8	<0.002	<0.004	0.0079	0.020	"
	1.00m	9/8	<0.002	<0.004	<0.0005	0.0018	"
	2.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	10/28	<0.002	<0.004	<0.0005	0.0029	10E49150-1
	13.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/28	<0.002	<0.004	<0.0005	0.0005	"
	16.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	10E49150-2
	26.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (11.00m)	9/8	<0.002	<0.004	<0.0005	0.035	10C47750A-2
地下水	10/29	<0.002	0.029	0.0093	0.17	"	

  : 定量定量下限値超過  
  : 基準値以下  
  : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-20-3	表層	8/27	<0.002	<0.004	0.0011	0.0033	10E46768
	0.50m	8/27	<0.002	<0.004	0.0007	0.0044	"
	1.00m	8/27	<0.002	<0.004	0.0018	0.0095	"
	2.00m	8/27	<0.002	<0.004	<0.0005	0.0010	"
	3.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/27	<0.002	<0.004	0.0005	<0.0005	"
	10.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/25	<0.002	<0.004	<0.0005	0.0021	10E49032-1
	12.00m	10/25	<0.002	<0.004	<0.0005	0.0006	"
	13.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/26	<0.002	<0.004	<0.0005	0.0005	"
	23.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	10E49032-2
25.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	8/27	<0.002	<0.004	<0.0005	0.0025	10C47750A-2	
地下水	10/27	<0.002	0.023	0.0074	0.12	"	

定量定量下限値超過 基準不適合  
基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
E-21	表層	9/10	<0.002	<0.004	<0.0005	<0.0005	10E47720
	0.50m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/10	<0.002	<0.004	<0.0005	0.0011	"
	2.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/10	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	10E49033-1
	12.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/25	<0.002	<0.004	<0.0005	0.0006	"
	14.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	10E49033-2
	25.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	26.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (10.00m)	9/10	<0.002	<0.004	<0.0005	0.0017	10C47750A-2
地下水	10/27	<0.002	0.011	0.0075	0.078	"	

: 定量定量下限値超  
過  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-4	表層	8/26	<0.002	<0.004	<0.0005	<0.0005	10E46769
	0.50m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/26	<0.002	<0.004	<0.0005	0.0010	"
	7.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/27	<0.002	0.015	0.0020	0.010	10C46769A-1

  : 定量下限値超過, 基準値以下
   : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-5	表層	8/28	<0.002	<0.004	<0.0005	<0.0005	10E46783
	0.50m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/28	<0.002	<0.004	<0.0005	<0.0005	10C46789A-1

: 定量下限値超過,  
 : 基準不適合  
 : 基準値以下



単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-6	表層	8/27	<0.002	<0.004	<0.0005	<0.0005	10E46770
	0.50m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/27	<0.002	<0.004	<0.0005	0.0066	"
	5.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	10.50m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/27	<0.002	<0.004	<0.0005	0.0008	10C46769A-1

定量下限値超過  
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-7	表層	9/14	<0.002	<0.004	<0.0005	0.0019	10E47764
	0.50m	9/14	<0.002	<0.004	<0.0005	0.0020	"
	1.00m	9/14	<0.002	<0.004	<0.0005	0.0005	"
	2.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/14	<0.002	<0.004	<0.0005	0.0005	"
	5.00m	9/14	<0.002	<0.004	<0.0005	0.0007	"
	6.00m	9/14	<0.002	<0.004	<0.0005	0.0019	"
	7.00m	9/14	<0.002	<0.004	<0.0005	0.0028	"
	8.00m	9/14	<0.002	<0.004	<0.0005	0.0036	"
	9.00m	9/14	<0.002	<0.004	<0.0005	0.0007	"
	10.00m	9/14	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	10E49034-1
	12.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	10E49034-2
	25.00m	10/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (10.00m)	9/14	<0.002	<0.004	0.0072	0.081	10C46769A-1
地下水	10/27	<0.002	<0.004	<0.0005	<0.0005	"	

  : 定量下限値超過.  
  : 基準値以下

基準不適合

F-8

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-8	表層	9/9	<0.002	<0.004	0.0007	0.0062	10E47688
	0.50m	9/9	<0.002	<0.004	0.0026	0.028	"
	1.00m	9/9	<0.002	<0.004	0.0008	0.033	"
	2.00m	9/9	<0.002	<0.004	<0.0005	0.0009	"
	3.00m	9/9	<0.002	<0.004	<0.0005	0.0011	"
	4.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/9	<0.002	<0.004	<0.0005	0.0005	"
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/9	<0.002	<0.004	<0.0005	0.0054	10C46769A-1

□ : 定量下限値超過, 基準値以下

■ : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0,02mg/l)	シス-1,2-ジクロロエチレン (0,04mg/l)	トリクロロエチレン (0,03mg/l)	テトラクロロエチレン (0,01mg/l)	備考 (計量証明書番号)
定量下限値			0,002	0,004	0,0005	0,0005	
F-9-7	表層	9/3	<0,002	<0,004	<0,0005	<0,0005	10E47555
	0.50m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	1.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	2.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	3.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	4.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	5.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	6.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	7.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	8.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	9.00m	9/3	<0,002	<0,004	<0,0005	<0,0005	"
	地下水	9/3	<0,002	<0,004	<0,0005	0,0013	10C46769A-1

定量下限値超過  
基準値以下

基準不適合

F-10-4

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-10-4	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47556
	0.50m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/3	<0.002	<0.004	<0.0005	<0.0005	10G46769A-1

: 定量下限値超過, 基準値以下	: 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-11	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47395
	0.50m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	<0.0005	10C46769A-1

  : 定量下限値超過, 基準値以下
   : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-12-4	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47396
	0.50m	9/2	<0.002	<0.004	<0.0005	0.0012	"
	1.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	0.0033	10C46769A-1

< : 定量下限値超過, 基準値以下
 " : 基準不適合

F-13-2

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-13-2	表層	9/3	<0.002	<0.004	<0.0005	0.0013	10E47557
	0.50m	9/3	<0.002	<0.004	<0.0005	0.0010	"
	1.00m	9/3	<0.002	<0.004	<0.0005	0.0035	"
	2.00m	9/3	<0.002	<0.004	<0.0005	0.0033	"
	3.00m	9/3	<0.002	<0.004	<0.0005	0.0006	"
	4.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/3	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/3	<0.002	<0.004	<0.0005	0.021	10C46769A-1

定量下限値超過  
基準値以下



基準不適合



F-14-8

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-14-8	表層	9/2	<0.002	<0.004	<0.0005	<0.0005	10E47397
	0.50m	9/2	<0.002	<0.004	<0.0005	0.0013	"
	1.00m	9/2	<0.002	<0.004	<0.0005	0.0022	"
	2.00m	9/2	<0.002	<0.004	<0.0005	0.0020	"
	3.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/2	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/2	<0.002	<0.004	<0.0005	0.0056	10C46769A-1

 : 定量下限値超過, 基準値以下	 : 基準不適合
---	---

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-15-8	表層	9/1	<0.002	<0.004	<0.0005	0.0005	10E47251
	0.50m	9/1	<0.002	<0.004	<0.0005	0.0071	"
	1.00m	9/1	<0.002	<0.004	<0.0005	0.0094	"
	2.00m	9/1	<0.002	<0.004	<0.0005	0.0006	"
	3.00m	9/1	<0.002	<0.004	<0.0005	0.0048	"
	4.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/1	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	10E49151-1
	12.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49151-2
	25.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	9/1	<0.002	<0.004	<0.0005	0.0023	10C46769A-2	
地下水	11/1	<0.002	<0.004	<0.0005	0.0012	"	

  : 定量下限値超過  
  : 基準不適合  
  : 基準値以下

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-17-3	表層	9/7	<0.002	<0.004	0.0014	0.012	10E47621
	0.50m	9/7	<0.002	<0.004	<0.0005	0.018	"
	1.00m	9/7	<0.002	<0.004	<0.0005	0.0010	"
	2.00m	9/7	<0.002	<0.004	<0.0005	0.0011	"
	3.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/7	<0.002	<0.004	0.0005	0.0067	10C46769A-2

□ : 定量下限値超過, 基準値以下

■ : 基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-18-5	表層	9/7	<0.002	<0.004	<0.0005	0.0017	10E47617
	0.50m	9/7	<0.002	<0.004	<0.0005	0.0062	"
	1.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	10E47838
	13.00m	9/16	<0.002	<0.004	<0.0005	0.0029	"
	14.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/17	<0.002	0.005	0.0008	0.0021	"
	24.00m	9/18	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (11.00m)	9/7	<0.002	<0.004	0.0010	0.043	10C46769A-2
地下水	9/18	<0.002	0.027	0.0037	0.068	"	

定量下限値超過  
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-19-4	表層	9/7	<0.002	<0.004	<0.0005	<0.0005	10E47625
	0.50m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	1.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	2.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	3.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	4.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	5.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	6.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	#
	7.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	#
	8.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	#
	9.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	#
	10.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	#
	11.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	#
	12.00m	9/15	<0.002	<0.004	<0.0005	<0.0005	10E47802-1
	13.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	14.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	15.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	16.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	17.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	18.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	19.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	20.00m	9/16	<0.002	<0.004	<0.0005	<0.0005	#
	21.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	#
	22.00m	9/17	<0.002	<0.004	<0.0005	0.0007	#
	23.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	#
	24.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	#
	25.00m	9/17	<0.002	<0.004	<0.0005	<0.0005	10E47802-2
	地下水 (11.00m)	9/8	<0.002	<0.004	<0.0005	0.032	10C46769A-2
地下水	9/18	<0.002	0.051	0.012	0.13	#	

定量下限値超過、基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
F-20	表層	8/26	<0.002	<0.004	<0.0005	<0.0005	10E46709
	0.50m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	10E49152-1
	13.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	10/28	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	10E49152-2
	26.00m	10/29	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (11.00m)	8/26	<0.002	<0.004	<0.0005	<0.0005	10C46769A-2
地下水	10/29	<0.002	0.024	0.0083	0.074	"	

  定量下限値超過,  
  基準値以下
   基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-4	表層	11/10	<0.002	<0.004	<0.0005	<0.0005	10E49543
	0.50m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/10	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	11/10	<0.002	<0.004	<0.0005	<0.0005	10C49543A-1

☐: 定量下限値超過  
基準値以下

☐: 基準不適合

G-5

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-5	表層	8/28	<0.002	<0.004	<0.0005	<0.0005	10E46779
	0.50m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/28	<0.002	0.016	<0.0005	0.0005	"
	5.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/28	<0.002	0.065	0.0021	0.0022	"
	7.00m	8/28	<0.002	0.016	<0.0005	<0.0005	"
	8.00m	8/28	<0.002	0.006	0.0025	0.0026	"
	9.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	10E47949-1
	12.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/24	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/25	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	9/27	<0.002	<0.004	<0.0005	<0.0005	10E47949-2
	地下水 (10.00m)	8/28	<0.002	0.049	0.0019	0.0017	10C49543A-1
	地下水	9/27	<0.002	0.004	<0.0005	0.0017	"

  : 定量下限値超過,  
  : 基準不適合  
  : 基準値以下



試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-6	表層	8/25	<0.002	<0.004	<0.0005	<0.0005	10E46713
	0.50m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/26	<0.002	<0.004	<0.0005	0.0096	"
	4.00m	8/26	<0.002	0.006	0.0047	1.3	"
	5.00m	8/26	<0.002	0.039	0.027	0.62	"
	6.00m	8/26	<0.002	0.042	0.014	0.094	"
	7.00m	8/26	<0.002	<0.004	<0.0005	0.0027	"
	8.00m	8/26	<0.002	<0.004	0.015	0.15	"
	9.00m	8/26	<0.002	<0.004	<0.0005	0.0029	"
	10.00m	8/26	<0.002	<0.004	0.0007	0.0097	"
	11.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	10E47878-1
	12.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	10E47878-2
地下水 (11.00m)	8/26	<0.002	0.030	0.074	0.30	10C49543A-1	
地下水	9/22	<0.002	0.008	0.0074	0.056	"	

定量下限値超過  
基準値以下

基準不適合

G-7

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-7	表層	8/30	<0.002	<0.004	<0.0005	<0.0005	10E468B5
	0.50m	8/30	<0.002	<0.004	0.0006	0.0015	"
	1.00m	8/30	<0.002	<0.004	0.0006	0.0014	"
	2.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/30	<0.002	<0.004	<0.0005	0.0008	"
	6.00m	8/30	<0.002	<0.004	<0.0005	0.0009	"
	7.00m	8/30	<0.002	<0.004	0.0005	<0.0005	"
	8.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	10.50m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/30	<0.002	<0.004	<0.0005	<0.0005	10C49543A-1

定量下限値超過、  
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-8	表層	8/30	<0.002	<0.004	<0.0005	0.0007	10E46866-1
	0.50m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/30	<0.002	<0.004	<0.0005	0.0007	"
	8.00m	8/30	<0.002	<0.004	<0.0005	0.0022	"
	9.00m	8/30	<0.002	<0.004	<0.0005	0.0015	"
	10.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	9/7	<0.002	<0.004	<0.0005	<0.0005	10E46866-2
	13.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	10E47640
	14.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	9/8	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
地下水 (10.00m)	8/30	<0.002	<0.004	<0.0005	0.023	10C49543A-1	
地下水	9/18	<0.002	0.032	0.0057	0.021	"	

定量下限値超過  
基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-9-2	表層	8/31	<0.002	<0.004	<0.0005	0.0029	10E47004
	0.50m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/31	<0.002	<0.004	<0.0005	0.0006	10C49543A-1

定量下限値超過,  
基準値以下

基準不適合

G-10-1

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-10-1	表層	8/30	<0.002	<0.004	<0.0005	<0.0005	10F46867
	0.50m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/31	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/31	<0.002	<0.004	<0.0005	<0.0005	10C49543A-1

  : 定量下限値超過  
  : 基準値以下  
  : 基準不適合

G-11

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-11	表層	8/30	<0.002	<0.004	<0.0005	0.0012	10E4688B
	0.50m	8/30	<0.002	<0.004	<0.0005	0.0022	"
	1.00m	8/30	<0.002	<0.004	<0.0005	0.0021	"
	2.00m	8/30	<0.002	<0.004	<0.0005	0.0006	"
	3.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/30	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/30	<0.002	<0.004	<0.0005	<0.0005	10C49543A-1

□ : 定量下限値超過, 基準値以下      □ : 基準不適合

G-12

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-12	表層	8/28	<0.002	<0.004	<0.0005	<0.0005	10E46780
	0.50m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/28	<0.002	<0.004	<0.0005	0.0006	"
	2.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/28	<0.002	<0.004	<0.0005	0.0005	10C49543A-2

: 定量下限値超過  
 : 基準値以下  
 : 基準不適合

G-13  
 単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0,02mg/l)	シス-1,2-ジクロロエチレン (0,04mg/l)	トリクロロエチレン (0,03mg/l)	テトラクロロエチレン (0,01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-13	表層	9/9	<0.002	<0.004	<0.0005	<0.0005	10E47690
	0.50m	9/9	<0.002	<0.004	<0.0005	0.0024	"
	1.00m	9/9	<0.002	<0.004	<0.0005	0.0046	"
	2.00m	9/9	<0.002	<0.004	<0.0005	0.0014	"
	3.00m	9/9	<0.002	<0.004	<0.0005	0.0009	"
	4.00m	9/9	<0.002	<0.004	<0.0005	0.0008	"
	5.00m	9/9	<0.002	<0.004	<0.0005	0.0012	"
	6.00m	9/9	<0.002	<0.004	<0.0005	0.0009	"
	7.00m	9/9	<0.002	<0.004	<0.0005	0.0005	"
	8.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/9	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/9	<0.002	<0.004	<0.0005	0.0053	10C49543A-2

☐ : 定量下限値超過, 基準値以下      ☐ : 基準不適合



試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-14	表層	8/28	<0.002	<0.004	0.0017	0.0007	10E46781
	0.50m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/28	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/28	<0.002	<0.004	<0.0005	<0.0005	10C49543A-2

: 定量下限値超過,  
基準値以下

: 基準不適合

G-18

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-18	表層	8/25	<0.002	<0.004	<0.0005	0.0005	10E46647
	0.50m	8/25	<0.002	<0.004	<0.0005	0.0006	"
	1.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	10E49399-1
	12.00m	11/5	<0.002	<0.004	<0.0005	<0.0005	"
	13.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/6	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/8	<0.002	<0.004	<0.0005	<0.0005	10E49399-2
	地下水 (10.00m)	8/25	<0.002	<0.004	0.0005	0.0077	10C49543A-2
地下水	11/8	<0.002	0.014	0.0014	0.0099	"	

定量下限値超過, 基準値以下

基準不適合

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-19	表層	8/24	<0.002	<0.004	<0.0005	0.0008	10E46649
	0.50m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/1	<0.002	<0.004	<0.0005	<0.0005	10E49211
	13.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/2	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/4	<0.002	<0.004	<0.0005	<0.0005	"
	地下水 (11.00m)	8/25	<0.002	<0.004	0.0042	0.041	10C49543A-2
	地下水	11/5	<0.002	0.028	0.0024	0.013	"

  : 定量下限値超過  
  : 基準不適合  
  : 基準値以下

G-20

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
G-20	表層	8/24	<0.002	<0.004	<0.0005	<0.0005	10E46573
	0.50m	8/24	<0.002	<0.004	<0.0005	0.0007	"
	1.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	8/24	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/24	<0.002	<0.004	<0.0005	<0.0005	10C49543A-2

定量下限値超過,  
基準値以下

基準不適合

		単位:(mg/l)					
試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-5-1	表層	9/4	<0.002	<0.004	<0.0005	<0.0005	10E47565
	0.50m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	9/4	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	9/4	<0.002	<0.004	<0.0005	<0.0005	10C47565A

: 定量下限値超過,  
 基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-6	表層	11/22	<0.002	<0.004	<0.0005	<0.0005	10E49854
	0.50m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/22	<0.002	<0.004	<0.0005	0.0078	"
	3.00m	11/22	<0.002	<0.004	<0.0005	0.0007	"
	4.00m	11/22	<0.002	<0.004	0.0028	<0.0005	"
	5.00m	11/22	<0.002	0.008	0.0024	0.0026	"
	6.00m	11/22	<0.002	0.041	<0.0005	<0.0005	"
	7.00m	11/22	<0.002	0.033	0.0012	<0.0005	"
	8.00m	11/22	<0.002	0.007	0.0011	<0.0005	"
	9.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/22	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	11/22	<0.002	0.11	0.012	0.0007	10C47565A

  : 定量下限値超過,  
 基準値以下
   : 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-9	表層	8/25	<0.002	<0.004	<0.0005	<0.0005	10E46711
	0.50m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	8/25	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/25	<0.002	<0.004	0.0010	0.0055	10C47565A

: 定量下限値超過,  
基準値以下

: 基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-10	表層	8/26	<0.002	<0.004	<0.0005	<0.0005	10E46712
	0.50m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	10.50m	8/26	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/26	<0.002	<0.004	<0.0005	<0.0005	10C47565A

定量下限値超過,  
基準値以下

基準不適合





単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-12	表層	8/27	<0.002	<0.004	<0.0005	<0.0005	10E46772
	0.50m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	8/27	<0.002	<0.004	<0.0005	<0.0005	"
	地下水	8/27	<0.002	<0.004	<0.0005	0.0007	10C47585A

定量下限値超過、  
基準値以下

基準不適合

試料名		深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値				0.002	0.004	0.0005	0.0005	
H-13	表層	9/9	<0.002	<0.004	<0.0005	0.0006	10E47891	
	0.50m	9/9	<0.002	<0.004	<0.0005	0.0018	"	
	1.00m	9/9	<0.002	<0.004	<0.0005	0.0018	"	
	2.00m	9/9	<0.002	<0.004	<0.0005	0.0032	"	
	3.00m	9/9	<0.002	<0.004	<0.0005	0.017	"	
	4.00m	9/9	<0.002	<0.004	<0.0005	0.011	"	
	5.00m	9/9	<0.002	<0.004	<0.0005	0.0094	"	
	6.00m	9/9	<0.002	<0.004	<0.0005	0.010	"	
	7.00m	9/9	<0.002	<0.004	<0.0005	0.0023	"	
	8.00m	9/9	<0.002	<0.004	<0.0005	0.0017	"	
	9.00m	9/9	<0.002	<0.004	0.0007	0.0024	"	
	10.00m	9/9	<0.002	<0.004	<0.0005	0.0007	"	
	11.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	10E47879-1	
	12.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	13.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	14.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	15.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	16.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	17.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	18.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	19.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	20.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	21.00m	9/21	<0.002	<0.004	<0.0005	<0.0005	"	
	24.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
	25.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
	26.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	10E47879-2	
	27.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
	28.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
	29.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
	30.00m	9/22	<0.002	<0.004	<0.0005	<0.0005	"	
地下水 (10.00m)	9/9	<0.002	<0.004	0.0011	0.0068	10C47565A		
地下水	9/22	<0.002	<0.004	<0.0005	0.0020	"		

単位:(mg/l)

項目	標準值	測量值	單位	備註	合格	不合格
1	100	100	mm			
2	100	100	mm			
3	100	100	mm			
4	100	100	mm			
5	100	100	mm			
6	100	100	mm			
7	100	100	mm			
8	100	100	mm			
9	100	100	mm			
10	100	100	mm			
11	100	100	mm			
12	100	100	mm			
13	100	100	mm			
14	100	100	mm			
15	100	100	mm			
16	100	100	mm			
17	100	100	mm			
18	100	100	mm			
19	100	100	mm			
20	100	100	mm			
21	100	100	mm			
22	100	100	mm			
23	100	100	mm			
24	100	100	mm			
25	100	100	mm			
26	100	100	mm			
27	100	100	mm			
28	100	100	mm			
29	100	100	mm			
30	100	100	mm			
31	100	100	mm			
32	100	100	mm			
33	100	100	mm			
34	100	100	mm			
35	100	100	mm			
36	100	100	mm			
37	100	100	mm			
38	100	100	mm			
39	100	100	mm			
40	100	100	mm			
41	100	100	mm			
42	100	100	mm			
43	100	100	mm			
44	100	100	mm			
45	100	100	mm			
46	100	100	mm			
47	100	100	mm			
48	100	100	mm			
49	100	100	mm			
50	100	100	mm			
51	100	100	mm			
52	100	100	mm			
53	100	100	mm			
54	100	100	mm			
55	100	100	mm			
56	100	100	mm			
57	100	100	mm			
58	100	100	mm			
59	100	100	mm			
60	100	100	mm			
61	100	100	mm			
62	100	100	mm			
63	100	100	mm			
64	100	100	mm			
65	100	100	mm			
66	100	100	mm			
67	100	100	mm			
68	100	100	mm			
69	100	100	mm			
70	100	100	mm			
71	100	100	mm			
72	100	100	mm			
73	100	100	mm			
74	100	100	mm			
75	100	100	mm			
76	100	100	mm			
77	100	100	mm			
78	100	100	mm			
79	100	100	mm			
80	100	100	mm			
81	100	100	mm			
82	100	100	mm			
83	100	100	mm			
84	100	100	mm			
85	100	100	mm			
86	100	100	mm			
87	100	100	mm			
88	100	100	mm			
89	100	100	mm			
90	100	100	mm			
91	100	100	mm			
92	100	100	mm			
93	100	100	mm			
94	100	100	mm			
95	100	100	mm			
96	100	100	mm			
97	100	100	mm			
98	100	100	mm			
99	100	100	mm			
100	100	100	mm			

定量下限值超過, 基準值以下

基準不適合

単位:(mg/l)

試料名	深度	採取日	1,1-ジクロロエチレン (0.02mg/l)	シス-1,2-ジクロロエチレン (0.04mg/l)	トリクロロエチレン (0.03mg/l)	テトラクロロエチレン (0.01mg/l)	備考 (計量証明書番号)
定量下限値			0.002	0.004	0.0005	0.0005	
H-14	表層	11/24	<0.002	<0.004	<0.0005	<0.0005	10E49908-1
	0.50m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	1.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	2.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	3.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	4.00m	11/24	<0.002	<0.004	<0.0005	<0.0005	"
	5.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	6.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	7.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	8.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	9.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	10.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	11.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	12.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	10E49908-2
	13.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	14.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	15.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	16.00m	11/25	<0.002	<0.004	<0.0005	<0.0005	"
	17.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	18.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	19.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	20.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	21.00m	11/26	<0.002	<0.004	<0.0005	<0.0005	"
	22.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	23.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	24.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	"
	25.00m	11/27	<0.002	<0.004	<0.0005	<0.0005	10E49908-3
	地下水 (10.00m)	11/25	<0.002	<0.004	<0.0005	<0.0005	10C47565A
地下水	11/27	<0.002	<0.004	<0.0005	<0.0005	"	

: 定量下限値超過、基準値以下
  : 基準不適合





